

OneEM Kit

- Keyless computer-guided surgical kit for narrow implants
- Optimized for cases with horizontal bone loss and in areas with narrow ridges
- Minimally invasive EM surgical procedures shorten healing time




Guided Surgery is Possible in Areas with Bone Width of Only 5mm

- Drilling with the OneEM guide minimizes interference to the adjacent teeth
- Perform Guided Surgeries with the OneEM Ø3.6mm guided stent in narrow areas



Succesful guided surgery can be completed even with a minimum of 5mm of ridge space




Guide stop enables drilling without interference to adjacent teeth

Place the Whole System of EM Implants in Narrow Areas

- The EM system is a one-body implant designed for narrow interdental areas and denture prostheses for edentulous patients
- Place EM Narrow Ridge in narrow ridged areas, such as the anterior region (Ø2.0 / Ø2.5 / Ø3.0)
- Place EM Denture for implant overdentures in areas where standard implants are not achievable (Ø2.0 / Ø2.5 / Ø3.0)



Place EM Narrow Ridge Ø2.5



Place EM Denture Ø2.5

ETIII Ø3.2 Implant (Narrow Diameter Implant) Placement with OneEM Kit

- Use OneEM KIT where the standard OneGuide Kit cannot be used due to narrow bone width
- Use ETIII Ø3.2 when path compensation of prosthesis is needed in narrow areas



EM Narrow ridge




EM Denture



ETIII Ø3.2

OneEM Kit Layout



OneEM Drill (1,200rpm)

- · Straight drill
- Start with 8.5mm drill regardless of Implant length
- Cortical Drill is used for ETIII Ø3.2 implant



2 NoMount & Implant Driver

- EM Narrow Ridge/ETIII Ø3.2
- Tools for EM denture must be purchased separately



3 Other Tools







Depth Gauge




OneEM Drilling Sequence



EM Implant System Ø3.0









PF26OEMLTR1.0

Copyright © 2026 Hiossen Inc. All rights reserved. 105 Challenger Rd. 7th Floor, Ridgefield Park, NJ 07660 Marketing@hiossen.com | 888.678.0001 | www.hiossen.com



